PEEL HERE



For the State of California Use Only

ACTIVE INGREDIENT:	By wt.
24-Epibrassinolide ^[*]	0.01%
OTHER INGREDIENTS:	99.99%
TOTAL:	100.00%
F*C 1 0 00 40-4	

[*Contains 8.29 x 10⁻⁴ lb active ingredient/gallon product]

KEEP OUT OF REACH OF CHILDREN CAUTION

See label booklet for complete Precautionary Statements, Directions for Use, and Storage and Disposal.

MANUFACTURED FOR:

Suntton International Inc. 9127 Highway 431 South, Suite C. Owens Cross Roads, AL 35763 EPA REG. NO. 92983 - 2 CDPR REG. NO. 92983 - 2 - ML 1 EPA Est. No. 89146-CA-001 2 EPA Est. No. 89146-GA-001

7 52830 14033

Net Contents: 1 Qt. (0.94L)

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Harmful if absorbed through skin. Avoid contact with skin, eyes, or dothing. Harmful if inhaled. Avoid breathing spray mist. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

PERSONAL PROTECTION EQUIPMENT (PPE)

Applicators and other handlers must wear:

- Long-sleeved shirt and long pants
- · Shoes plus socks
- · Waterproof gloves

USER SAFETY RECOMMENDATIONS

Users should:

- Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

For terrestrial uses: Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high-water mark. Do not contaminate water when disposing of equipment wash water or rinsate.

First Aid				
Take off contaminated clothing.				
If on skin:	Rinse skin immediately with plenty of water for 15-20 minutes			
	Call a poison control center or doctor for treatment advice.			
	Move person to fresh air.			
If inhaled:	If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.			
Hot Line Number				

Have the product container or label with you when calling a poison control center or doctor or going for treatment. For general information on product use, etc., call the National Pesticides Information Center at 1-800-858-7378. For emergencies, call the poison control center at 1-800-222-1222.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Follow all direction on the EPA approved label and any supplemental labeling.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handler may be in the area during application. For any requirements specific to your State or Tribe, consult the State or Tribal agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR Part 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on the label about personal protective equipment, restricted-entry interval, and notification to workers

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 4 hours.

For early entry into treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, wear:

- Coveralls
- · Shoes plus socks
- · Waterproof gloves

GENERAL INFORMATION

SUNERGIST® EBR is a special formulated product that contains an EPA tolerance exempt 24-Epibrassinolide plant growth regulator (PGR) found in nature that stimulate seeding and plant growth and improve root development. SUNERGIST® EBR improves the physiological and biochemical processes involved in crop growth and development and finally to improve the crop quality/yield.

SUGGESTED SUNERGIST® EBR FOLIAR SPRAY VOLUME (IN GALLONS) PER ACRE

CROP	GROUND	AERIAL
Rice	10-20	5
Table Grapes	100	15

Spray volume applied per acre will differ depending upon the stage of plant growth, equipment used, and the specific crops. Apply sufficient water volume to ensure thorough coverage on entire plants.

Do not apply this product through any type of irrigation system.

Compatibility: SUNERGIST® EBR compatibility with other agricultural products requires testing for crop safety and performance prior to large-scale use. Products mixed with SUNERGIST® EBR must not be in alkaline (pH >7) solution. SUNERGIST® EBR can be mixed with any product having a pH less than 7. If rain occurs within 2 hours after initial application, a repeat application may be necessary.

Spray Adjuvant: Use commercially registered Non-Ionic surfactant and penetrant adjuvant at a label rate approved for use on respective crops for all applications of SUNERGIST® EBR.

FOLIAR APPLICATION INSTRUCTIONS

CROP	FL. OZ. SUNERGIST [®] EBR / 10 GALLON WATER	APPLICATION TIMING	REMARKS
Rice	0.6-1.2	1st: Spray at tillering 2nd: Spray at flag leaf stage	Increase Yield
Table Grapes	1st: 1.0 2nd: 0.6	1st: Bud break spray* 2nd: Small fruit (4-12 mm)**	To promote budbreak uniformity To promote uniform harvest

Pre Harvest Interval (PHI): 0 days

^{*} Spray 28 to 40 days before anticipated bud break for uniform bud break.

^{**} Spray for uniform harvest.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Store in original container in a cool, dry locked place out of the reach of children and out of direct sunlight.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Non-refillable container. Do not reuse or refill this container. Triple rinse (or equivalent). Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/43 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for alter use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

LIMITED WARRANTY AND DISCLAIMER

NOTICE: Suntton International Inc. warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the Directions For Use. Buyer assumes all risks of use and handling which is a variance in any way with the directions herein. Suntton International Inc. makes no other express or implied warranty of fitness or merchantability. In no case shall Suntton International Inc. or the seller be liable for consequential, special or indirect damages resulting from the use or handling of this product.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE EXCLUSIVE LIABILITY OF SUNTTON INTERNATIONAL INC AND SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF SUNTTON INTERNATIONAL INC OR SELLER, THE REPLACEMENT OF THE PRODUCT.

Suntton International Inc., and Seller offer this product and the Buyer and user accept it, subject to the foregoing Limited Warranty and Disclaimer which may be varied only by agreement in writing signed by a duly authorized representative of Suntton International, Inc.